



■ **Two-cylinder coupling ramps in copper pipe without valves**
Code 1026.2B1CS

It is recommended using the two-cylinder coupling ramps in copper pipe during wintertime, in order to empty the cylinders completely



■ **Two-cylinder coupling ramps in copper pipe with valves**
Code 1026.2B1CC

It is recommended using the two-cylinder coupling ramps in copper pipe during wintertime, in order to empty the cylinders completely. This model is fitted with two valves to cut out one of the two cylinders



■ **Two-cylinder coupling ramps in rubber pipe without valves**
Code 1026.2B1CSG

It is recommended using the two-cylinder coupling ramps in rubber pipe during wintertime, in order to empty the cylinders completely



■ **High pressure flexible rubber hose**
Code 1026.G



■ **Split Flow T-Piece without valves**
Code 1026.2C1BS

It is a T-shaped brass connection which allows working with two torches and one cylinder. This makes the emptying easier



■ **Split Flow Y-Piece with valves**
Code 1026.2C1BC

It is a Y-shaped brass connection which allows working with two torches and one cylinder. This makes the emptying easier. It is fitted with two valves to cut off one of the two cylinders



■ **Quick-on swivel connection**
Code 1011.AGR1



■ **Three-way hose nozzle**
Code 1026.018



■ **Two-way hose nozzle**
Code 1026.019



■ **Flashback arrestor**
Code 1026.017G

